

THE MOST SUSTAINABLE AND ENVIRONMENT FRIENDLY PROCESS FOR THE PRODUCTION OF RUBBER COATING PLATES USING "ZEROSOLVENT TECHNOLOGY"

**Polyester backed, bi-directional
and strippable plates**
**Very regular microground
and polished surface**

Superior quality of compressible layer
**Superior varnish lay-down achieving
incredibly high gloss level**
No ink build up - ink trapping

Long lasting plates with excellent re-use rates
compatible with cad and manual cutting
**Essential and high-tech construction for
superior stability, varnish transfer and easy stripping**

100% Solvent free

**New generation of coating
plates for all sheetfed applications**



**Innovation
and tradition**

Varnishing plate WITHOUT INK BUILD UP

TECHNICAL DATA

	AcoCoat Sunrise115	AcoCoat Sunrise135	AcoCoat Sunrise195
Colour	Zinc Yellow	Zinc Yellow	Zinc Yellow
Bi-directional	Yes	Yes	Yes
Carrier	Polyester	Polyester	Polyester
Compressible layer	No	No	Yes
Nominal Thickness	1,15 mm	1,35 mm	1,95 mm
Thickness range	1,13 ÷ 1,17 mm	1,33 ÷ 1,37 mm	1,93 ÷ 1,97 mm
Thick. of carrier	0,35	0,35	0,35
Thick. of compressible layer mm	-	-	0,60
Coating compatibility	Aqueous+UV	Aqueous+UV	Aqueous+UV
Roughness (Ra:µm)	0,4 ÷ 0,6	0,4 ÷ 0,6	0,4 ÷ 0,6
Stripping depth mm	0,80	1,00	1,60

CROSS SECTION

